

ANNUAL CLIMATOLOGICAL SUMMARY
(2012)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	74.2	49.1	61.7	4.7	137	42	86	21	33	13	0	0	0	0	0.14	-0.74	0.06	16	0.0			0	0	0		
2	71.8	54.9	63.4	1.9	119	80	88	04	43	26	0	0	0	0	2.12	1.06	1.12	08	0.0			6	1	1		
3	86.6	55.5	71.1	1.7	39	238	95	20	38	19	19	19	19	19	1.10	0.51	0.75	30	0.0			3	1	0		
4																										
5																										
6																										
7																										
8																										
9																										
10																										
11																										
12																										
Annual	77.5*	53.2*	65.4*		295*	360*	95*	Mar	33*	Jan	19*	19*	19*	19*	3.36*		1.12*	Feb	0.0*			9*	2*	1*		

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2011)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	69.9	46.3	58.1		229	24	86	31	34	26	0	0	0	0	0.63		0.16	13	0.0			3	0	0	
2	76.4	47.5	62.0		236	158	102	28	25	05	9	9	9	9	0.04		0.04	04	0.0			0	0	0	
3	88.7	58.8	73.8		9	291	98	09	44	06	15	15	15	15	0.24		0.24	06	0.0			1	0	0	
4	98.6X	66.1X	82.4X		0		109	27	53	23	27	27	27	27	0.00				0.0			0	0	0	
5	98.5	69.6	84.1		5	605	108	28	52	03	27	27	27	27	0.08		0.08	16	0.0			0	0	0	
6	102.1	73.6	87.9		0	694	110	18	67	04	28	28	28	28	1.43		1.01	23	0.0			2	1	1	
7	102.1	75.7	88.9		0	750	108	20	72	16	31	31	31	31	0.43		0.22	02	0.0			2	0	0	
8	105.6	76.9	91.3		0	819	108	12	70	27	31	31	31	31	1.45		1.28	27	0.0			2	1	1	
9	100.5	72.3	86.4		0	646	106	05	65	07	30	30	30	30	2.97		2.80	18	0.0			2	1	1	
10	91.1	61.9	76.5		11	376	99	08	45	29	23	23	23	23	0.05		0.03	10	0.0			0	0	0	
11	83.5	54.4	69.0		59	183	95	20	34	28	11	11	11	11	0.00				0.0			0	0	0	
12	68.7	47.6	58.2		232	27	86	15	31	07	0	0	0	0	2.36		1.05	11	0.0			4	2	1	
Annual	90.5*	62.6*	69.7		781*	4573	110	Jun	25	Feb	232*	232*	232*	232*	9.68		2.80*	Sep	0.0*			16*	5*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2010)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	67.6	45.2	56.4	-0.6	284	24	87	23	22	09	0	0	3	0	1.66	0.78	1.20	13	0.0	0		3	1	1	
2	66.9	46.1	56.5	-5.0	236	5	80	23	35	25	0	0	0	0	1.52	0.46	0.65	03	0.0	0		3	1	0	
3	78.7	51.5	65.1	-4.3	69	80	90	28	36	21	2	0	0	0	0.85	0.26	0.72	16	0.0	0		1	1	0	
4	86.2	62.7	74.5	-0.8	2	294	96	07	49	09	11	0	0	0	4.46	3.01	2.05	13	0.0	0		6	2	2	
5	94.5	69.7	82.1	0.6	0	540	100	13	56	04	26	0	0	0	2.34	-0.07	2.00	18	0.0	0		2	1	1	
6	100.6	75.2	87.9	2.2	0	696	105	06	68	03	30	0	0	0	2.14	-0.35	1.55	08	0.0	0		3	1	1	
7	94.0	74.9	84.5	-2.6	0	610	98	31	72	20	27	0	0	0	6.05	4.43	2.50	01	0.0	0		7	3	2	
8	102.0	75.0	88.5	1.6	0	733	106	24	69	02	31	0	0	0	0.70	-1.47	0.64	25	0.0	0		1	1	0	
9	93.7	72.8	83.3	0.6	0	555	104	01	58	28	24	0	0	0	5.56	1.66	1.75	27	0.0	0		7	5	2	
10	88.8	61.9	75.4	0.2	2	332	96	26	48	30	16	0	0	0	0.03	-1.76	0.03	14	0.0	0		0	0	0	
11	82.3	54.0	68.2	1.9	57	158	95	02	36	27	8	0	0	0	0.01	-1.03	0.01	15	0.0	0		0	0	0	
12	75.4	47.5	61.5	3.1	166	62	89	31	31	01	0	0	1	0	0.00	-0.88	0.00	31	0.0	0		0	0	0	
Annual	85.9*	61.4*	73.7	-0.3	816*	4089	106	Aug	22	Jan	175*	0*	4*	0*	25.32	5.04	2.50*	Jul	0.0*	0*	Dec	33*	16*	9*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2009)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	74.6	48.4	61.5	4.5	149	50	89	28	35	14	0	0	0	0	0.08	-0.80	0.06	01	0.0	0		0	0	0	
2	79.9	52.9	66.4	4.9	62	105	96	26	33	03	4	0	0	0	0.82	-0.24	0.62	17	0.0	0		2	1	0	
3	83.9	56.0	70.0	0.6	76	240	99	31	38	02	12	0	0	0	0.06	-0.53	0.05	15	0.0	0		0	0	0	
4	91.9	61.4	76.7	1.4	6	364	101	23	44	07	19	0	0	0	0.15	-1.30	0.15	19	0.0	0		1	0	0	
5	97.2	70.4	83.8	2.3	0	590	106	09	60	19	28	0	0	0	2.04	-0.37	1.22	28	0.0	0		2	2	1	
6	101.3	73.7	87.5	1.8	0	681	106	13	66	02	30	0	0	0	0.06	-2.43	0.04	25	0.0	0		0	0	0	
7	106.0	75.3	90.7	3.6	0	803	110	05	69	05	31	0	0	0	0.14	-1.48	0.14	08	0.0	0		1	0	0	
8	104.6	74.8	89.7	2.8	0	775	109	02	71	31	30	0	0	0	0.51	-1.66	0.32	31	0.0	0		2	0	0	
9	91.3	71.9	81.6	-1.1	1	505	100	04	60	25	25	0	0	0	10.71	6.81	7.70	10	0.0	0		6	3	2	
10	88.6	65.0	76.8	1.6	6	380	100	16	44	31	16	0	0	0	0.63	-1.16	0.60	17	0.0	0		1	1	0	
11	80.5	55.5	68.0	1.7	24	123	90	15	42	18	1	0	0	0	0.65	-0.39	0.58	25	0.0	0		1	1	0	
12	63.4	45.3	54.4	-4.0	334	12	85	09	27	05	0	0	2	0	2.90	2.02	1.35	01	0.0	0		5	2	1	
Annual	88.6*	62.6*	75.6	1.7	658*	4628	110	Jul	27	Dec	196*	0*	2*	0*	18.75	-1.53	7.70*	Sep	0.0*	0*	Dec	21*	10*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2008)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	69.6	46.0	57.8	0.8	260	41	92	30	30	03	2	0	2	0	0.91	0.03	0.43	16	0.0	0		3	0	0	
2	83.1	52.7	67.9	6.4	55	145	99	06	35	01	8	0	0	0	0.13	-0.93	0.13	20	0.0	0		1	0	0	
3	86.8	55.6	71.2	1.8	38	240	104	15	36	08	12	0	0	0	0.00	-0.59	0.00	31	0.0	0		0	0	0	
4	92.7	63.7	78.2	2.9	0	403	99	23	50	29	20	0	0	0	0.31	-1.14	0.28	28	0.0	0		1	0	0	
5	98.5	71.2	84.9	3.4	0	620	107	24	64	18	28	0	0	0	1.70	-0.71	1.52	16	0.0	0		2	1	1	
6	101.8	74.3	88.1	2.4	0	698	106	20	69	25	30	0	0	0	0.10	-2.39	0.10	08	0.0	0		1	0	0	
7	93.6	73.1	83.4	-3.7	0	578	101	01	69	06	24	0	0	0	10.52	8.90	5.25	24	0.0	0		9	5	3	
8	94.8	74.5	84.7	-2.2	0	618	102	12	71	25	26	0	0	0	11.21	9.04	3.41	18	0.0	0		6	4	4	
9	89.6	69.6	79.6	-3.1	0	445	99	14	60	17	15	0	0	0	6.20	2.30	3.76	15	0.0	0		5	3	2	
10	86.0	61.9	74.0	-1.2	13	300	92	14	38	28	10	0	0	0	0.52	-1.27	0.35	28	0.0	0		1	0	0	
11	79.4	55.8	67.6	1.3	54	140	90	11	37	16	2	0	0	0	1.25	0.21	1.16	21	0.0	0		1	1	1	
12	72.0	47.5	59.8	1.4	209	52	90	28	35	12	2	0	0	0	0.14	-0.74	0.06	23	0.0	0		0	0	0	
Annual	87.3*	62.2*	74.8	0.9	629*	4280	107	May	30	Jan	179*	0*	2*	0*	32.99	12.71	5.25*	Jul	0.0*	0*	Dec	30*	14*	11*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2007)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	62.1	44.9	53.5	-3.5	372	25	85	14	33	17	0	0	0	0	2.60	1.72	0.98	04	0.0	0		6	2	0	
2	72.1	49.5	60.8	-0.7	173	62	90	21	32	16	1	0	1	0	0.18	-0.88	0.10	10	0.0	0		1	0	0	
3	83.9	58.6	71.3	1.9	28	234	97	15	34	05	5	0	0	0	0.23	-0.36	0.10	14	0.0	0		1	0	0	
4	85.2	60.5	72.9	-2.4	41	285	99	14	39	08	13	0	0	0	1.49	0.04	0.82	04	0.0	0		3	1	0	
5	93.0	69.4	81.2	-0.3	0	510	103	07	64	03	27	0	0	0	1.95	-0.46	0.62	08	0.0	0		5	2	0	
6	99.0	74.2	86.6	0.9	0	655	106	08	68	12	29	0	0	0	6.66	4.17	2.62	18	0.0	0		7	4	3	
7	94.1	74.3	84.2	-2.9	0	603	100	14	71	25	27	0	0	0	3.53	1.91	2.40	02	0.0	0		4	1	1	
8	98.4	74.3	86.4	-0.5	0	670	103	19	72	31	29	0	0	0	2.79	0.62	0.81	23	0.0	0		5	3	0	
9	93.8	71.9	82.9	0.2	0	546	98	27	68	25	26	0	0	0	2.65	-1.25	1.25	15	0.0	0		4	2	1	
10	91.8	63.6	77.7	2.5	7	411	98	22	45	23	22	0	0	0	0.38	-1.41	0.26	11	0.0	0		1	0	0	
11	80.6	57.0	68.8	2.5	83	207	96	22	38	26	9	0	0	0	0.74	-0.30	0.33	15	0.0	0		3	0	0	
12	77.4	50.2	63.8	5.4	147	116	92	22	31	25	5	0	1	0	0.08	-0.80	0.05	15	0.0	0		0	0	0	
Annual	86.0*	62.4*	74.2	0.3	851*	4324	106	Jun	31	Dec	193*	0*	2*	0*	23.28	3.00	2.62*	Jun	0.0*	0*	Dec	40*	15*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2006)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	77.1	48.8	63.0	6.0	115	62	90	30	37	06	2	0	0	0	0.00	-0.88	0.00	31	0.0	0		0	0	0	
2	75.9	47.7	61.8	0.3	137	53	93	17	29	12	3	0	1	0	0.15	-0.91	0.04	24	0.0	0		0	0	0	
3	86.6	60.3	73.5	4.1	34	304	99	12	38	24	12	0	0	0	0.43	-0.16	0.24	29	0.0	0		2	0	0	
4	94.5	66.7	80.6	5.3	0	475	102	19	56	30	23	0	0	0	2.42	0.97	2.42	26	0.0	0		1	1	1	
5	93.4	70.0	81.7	0.2	0	523	102	11	59	16	27	0	0	0	1.06	-1.35	1.06	15	0.0	0		1	1	1	
6	95.0	73.3	84.2	-1.5	0	582	101	21	69	11	27	0	0	0	0.26	-2.23	0.26	03	0.0	0		1	0	0	
7	95.8	74.5	85.2	-1.9	0	633	99	24	70	13	30	0	0	0	0.58	-1.04	0.49	08	0.0	0		1	0	0	
8	100.1	74.6	87.4	0.5	0	703	107	29	71	05	31	0	0	0	0.18	-1.99	0.12	05	0.0	0		1	0	0	
9	94.4	72.3	83.4	0.7	0	559	103	02	65	26	25	0	0	0	7.16	3.26	2.68	12	0.0	0		9	4	2	
10	86.1	66.8	76.5	1.3	7	368	95	27	47	29	11	0	0	0	3.19	1.40	1.38	15	0.0	0		5	3	1	
11	82.2	57.4	69.8	3.5	24	177	92	10	44	21	3	0	0	0	0.00	-1.04	0.00	30	0.0	0		0	0	0	
12	68.2	49.1	58.7	0.3	238	51	82	29	34	01	0	0	0	0	3.99	3.11	2.00	24	0.0	0		6	2	2	
Annual	87.4*	63.5*	75.5	1.6	555*	4490	107	Aug	29	Feb	194*	0*	1*	0*	19.42	-0.86	2.68*	Sep	0.0*	0*	Dec	27*	11*	7*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2005)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	73.0	50.9	62.0	5.0	176	90	89	13	35	14	0	0	0	0	0.67	-0.21	0.23	28	0.0	0		4	0	0	
2	69.6	53.3	61.5	0.0	167	75	92	16	42	01	2	0	0	0	1.41X		0.57	27	0.0	0		5	1	0	
3	83.0	56.4	69.7	0.3	29	181	97	30	42	17	7	0	0	0	0.21	-0.38	0.09	09	0.0	0		0	0	0	
4	90.8	55.5	73.2	-2.1	5	256	109	30	44	09	19	0	0	0	0.24	-1.21	0.24	27	0.0	0		1	0	0	
5	92.7	68.2	80.5	-1.0	0	487	103	30	53	02	22	0	0	0	2.05	-0.36	1.40	15	0.0	0		2	2	1	
6	101.8	72.7	87.3	1.6	0	675	106	19	66	12	30	0	0	0	0.71	-1.78	0.71	09	0.0	0		1	1	0	
7	100.4	75.2	87.8	0.7	0	715	110	04	71	21	29	0	0	0	5.41	3.79	1.92	20	0.0	0		5	3	3	
8	100.8	75.7	88.3	1.4	0	729	105	28	73	13	31	0	0	0	0.00	-2.17	0.00	31	0.0	0		0	0	0	
9	100.2	74.2	87.2	4.5	0	675	107	26	72	20	29	0	0	0	0.29	-3.61	0.19	09	0.0	0		1	0	0	
10	89.3	65.3	77.3	2.1	10	400	100	03	48	25	19	0	0	0	1.11	-0.68	0.38	28	0.0	0		5	0	0	
11	83.8	56.5	70.2	3.9	59	218	94	28	40	21	13	0	0	0	1.48	0.44	1.28	26	0.0	0		2	1	1	
12	69.7	47.6	58.7	0.3	216	27	89	28	36	09	0	0	0	0	0.33	-0.55	0.24	17	0.0	0		1	0	0	
Annual	87.9*	62.6*	75.3	1.4	662*	4528	110	Jul	35	Jan	201*	0*	0*	0*	13.91		1.92*	Jul	0.0*	0*	Dec	27*	8*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2004)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem-->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	68.2	49.1	58.7	1.7	231	41	86	04	37	20	0	0	0	0	1.32	0.44	0.38	23	0.0	0		5	0	0	
2	72.1	48.6	60.4	-1.1	155	27	87	05	38	26	0	0	0	0	0.33	-0.73	0.17	13	0.0	0		2	0	0	
3	81.5	61.6	71.6	2.2	0	210	88	19	50	11	0	0	0	0	3.26	2.67	1.66	15	0.0	0		3	2	2	
4	83.6	62.3	73.0	-2.3	16	262	91	30	46	13	3	0	0	0	1.87	0.42	1.05	05	0.0	0		5	1	1	
5	91.3	68.6	80.0	-1.5	2	473	100	31	49	03	19	0	0	0	2.19	-0.22	1.62	02	0.0	0		3	1	1	
6	99.4	73.9	86.7	1.0	0	658	105	22	68	26	30	0	0	0	3.85	1.36	1.92	23	0.0	0		2	2	2	
7	99.9	73.5	86.7	-0.4	0	682	105	29	68	12	30	0	0	0	0.89	-0.73	0.55	23	0.0	0		3	1	0	
8	101.7	73.0X	87.4X	0.5	0B	687B	106	27	68	14	31	0	0	0	2.30	0.13	1.05	30	0.0	0		3	2	1	
9	90.2X	71.8	81.0X	-1.7	0B	482B	96	16	66	09	18	0	0	0	6.01	2.11	2.46	01	0.0X	0		9	4	1	
10	92.3	68.6	80.5	5.3	0	489	99	20	51	15	23	0	0	0	3.07	1.28	2.70	05	0.0	0		2	1	1	
11	80.3	55.8	68.1	1.8	51	148	94	01	42	25	3	0	0	0	0.98	-0.06	0.41	14	0.0	0		3	0	0	
12	69.7	44.3	57.0	-1.4	262	22	89	10	25	25	0	0	6	0	0.33	-0.55	0.11	03	0.0	0		1	0	0	
Annual	85.8*	62.6*	74.3	0.3	717*	4181	106	Aug	25	Dec	157*	0*	6*	0*	26.40	6.12	2.70*	Oct	0.0*	0*	Dec	41*	14*	9*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2003)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	66.2	45.2	55.7	-1.3	298	17	87	22	33	18	0	0	0	0	0.59	-0.29	0.42	12	0.0	0		2	0	0	
2	70.7	49.7	60.2	-1.3	183	58	91	04	34	26	1	0	0	0	1.21	0.15	0.51	15	0.0	0		3	1	0	
3	80.4	56.7	68.6	-0.8	48	167	94	18	38	30	2	0	0	0	0.72	0.13	0.40	03	0.0	0		2	0	0	
4	88.6	64.6	76.6	1.3	9	364	103	26	47	09	17	0	0	0	0.80	-0.65	0.41	08	0.0	0		2	0	0	
5	100.2	74.3	87.3	5.8	0	697	108	09	70	30	29	0	0	0	2.39	-0.02	2.24	29	0.0	0		2	1	1	
6	101.3	76.3	88.8	3.1	0	721	107	25	69	16	30	0	0	0	0.36X		0.16	14	0.0	0		3	0	0	
7	98.6	75.7	87.2	0.1	0	695	104	25	73	20	30	0	0	0	2.17	0.55	1.53	04	0.0	0		3	2	1	
8	100.7	75.6	88.2	1.3	0	726	109	09	73	25	30	0	0	0	1.82	-0.35	0.76	17	0.0	0		3	2	0	
9	90.7	71.6	81.2	-1.5	0	493	103	01	64	30	20	0	0	0	11.42	7.52	2.52	01	0.0	0		11	8	5	
10	84.9	63.7	74.3	-0.9	16	313	93	07	45	29	8	0	0	0	6.90	5.11	3.40	12	0.0	0		5	3	3	
11	78.5	57.7	68.1	1.8	75	172	88	02	33	29	0	0	0	0	3.30	2.26	1.59	14	0.0	0		3	2	2	
12	72.3	46.0	59.2	0.8	200	23	83	16	29	30	0	0	2	0	0.01	-0.87	0.01	06	0.0	0		0	0	0	
Annual	86.1*	63.1*	74.6	0.7	829*	4446	109	Aug	29	Dec	167*	0*	2*	0*	31.69		3.40*	Oct	0.0*	0*	Dec	39*	19*	12*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2002)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	73.6	48.3	61.0	4.0	194	78	93	31	27	03	3	0	2	0	0.02	-0.86	0.02	22	0.0	0		0	0	0		
2	72.8	47.1	60.0	-1.5	168	32	90	22	37	07	1	0	0	0	0.08	-0.98	0.07	05	0.0	0		0	0	0		
3	82.0	56.6	69.3	-0.1	89	230	101	16	31	04	12	0	1	0	0.14	-0.45	0.07	11	0.0	0		0	0	0		
4	93.8	68.4	81.1	5.8	7	497	106	30	58	05	24	0	0	0	0.33	-1.12	0.27	06	0.0	0		1	0	0		
5	98.7	71.7	85.2	3.7	0	633	110	02	61	20	26	0	0	0	0.79	-1.62	0.69	18	0.0	0		2	1	0		
6	100.6	75.4	88.0	2.3	0	698	105	27	71	02	29	0	0	0	2.87	0.38	1.72	29	0.0	0		2	2	2		
7	97.1	74.2	85.7	-1.4	0	649	103	31	71	04	27	0	0	0	2.29	0.67	0.95	10	0.0	0		6	1	0		
8	101.7	75.1	88.4	1.5	0	736	106	28	70	30	31	0	0	0	1.96	-0.21	1.10	11	0.0	0		3	2	1		
9	92.2	71.0	81.6	-1.1	0	506	98	08	62	21	21	0	0	0	6.09	2.19	1.35	11	0.0	0		7	5	3		
10	87.7	67.8	77.8	2.6	0	404	98	05	53	16	17	0	0	0	1.38	-0.41	0.47	22	0.0	0		5	0	0		
11	72.3	52.4	62.4	-3.9	111	41	90	11	39	17	1	0	0	0	2.70	1.66	1.67	01	0.0	0		3	2	1		
12	71.6	47.7	59.7	1.3	195	40	88	31	35	20	0	0	0	0	0.05	-0.83	0.03	26	0.0	0		0	0	0		
Annual	87.0*	63.0*	75.0	1.1	764*	4544	110	May	27	Jan	192*	0*	3*	0*	18.70	-1.58	1.72*	Jun	0.0*	0*	Dec	29*	13*	7*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2001)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	66.8	46.0	56.4	1.2	274	16	87	29	30	20	0	0	2	0	0.52	-0.40	0.20	03	0.0	0		3	0	0	
2	77.6	55.4	66.5	6.9	111	163	99	24	39	18	4	0	0	0	0.65	-0.43	0.46	02	0.0	0		2	0	0	
3	77.8	54.2	66.0	-2.0	69	106	92	23	42	20	3	0	0	0	0.19	-0.32	0.05	02	0.0	0		0	0	0	
4	91.5	67.3	79.4	3.7	3	443	101	11	54	18	20	0	0	0	0.61	-0.77	0.54	24	0.0	0		1	1	0	
5	97.1	70.9	84.0	3.4	0	597	109	21	65	23	28	0	0	0	0.78	-1.87	0.29	22	0.0	0		3	0	0	
6	101.4	75.3	88.4	3.7	0	706	110	15	69	16	30	0	0	0	2.35	-0.23	1.15	08	0.0	0		3	2	2	
7	102.8	76.1	89.5	3.1	0	765	107	22	69	03	30	0	0	0	0.50	-1.07	0.41	03	0.0	0		1	0	0	
8	102.1	76.4	89.3	2.8	0	759	107	17	71	29	30	0	0	0	0.56	-1.93	0.16	29	0.0	0		4	0	0	
9	92.8	71.4	82.1	-0.1	0	521	102	09	59	26	21	0	0	0	5.85	1.22	2.92	11	0.0	0		6	3	2	
10	88.1	63.0	75.6	1.1	5	338	97	25	47	17	15	0	0	0	0.28	-1.48	0.27	06	0.0	0		1	0	0	
11	80.3	59.0	69.7	3.6	60	209	92	02	35	29	3	0	0	0	2.75	1.76	1.34	17	0.0	0		3	2	2	
12	70.5	48.6	59.6	1.7	195	33	84	06	35	26	0	0	0	0	1.48	0.59	1.01	09	0.0	0		3	1	1	
Annual	87.4*	63.6*	75.5	2.4	717*	4656	110	Jun	30	Jan	184*	0*	2*	0*	16.52	-4.93	2.92*	Sep	0.0*	0*	Dec	30*	9*	7*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(2000)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	76.2	51.4	63.8	8.6	106	76	88	20	37	05	0	0	0	0	0.50	-0.42	0.50	15	0.0	0		1	1	0	
2	81.3	56.9	69.1	9.5	52	180	97	26	42	05	6	0	0	0	0.65	-0.43	0.32	03	0.0	0		2	0	0	
3	87.8	62.3	75.1	7.1	17	336	100	30	46	12	17	0	0	0	0.10	-0.41	0.06	14	0.0	0		0	0	0	
4	90.8	64.8	77.8	2.1	0	395	103	24	50	05	18	0	0	0	1.38	0.00	1.37	13	0.0	0		1	1	1	
5	98.6	72.6X	85.6X	5.0	0B	645B	106	25	64	06	27	0	0	0	1.62	-1.03	0.66	20	0.0	0		3	2	0	
6	98.6	74.0	86.3	1.6	0	649	105	24	70	15	28	0	0	0	1.55	-1.03	0.55	12	0.0	0		5	1	0	
7	105.1	75.7	90.4	4.0	0	793	108	21	72	06	31	0	0	0	0.30	-1.27	0.20	31	0.0	0		2	0	0	
8	100.6	74.9	87.8	1.3	0	715	105	07	71	16	30	0	0	0	1.87	-0.62	1.00	23	0.0	0		4	1	1	
9	99.3	71.0	85.2	3.0	0	613	112	06	58	29	27	0	0	0	0.93	-3.70	0.55	16	0.0	0		3	1	0	
10	84.6	64.2	74.4	-0.1	70	370	99	25	42	09	15	0	0	0	3.27	1.51	0.94	08	0.0	0		7	3	0	
11	75.1	55.3	65.2	-0.9	112	128	90	13	41	20	2	0	0	0	1.99	1.00	0.60	06	0.0	0		6	2	0	
12	62.5	43.2	52.9	-5.0	370	3	82	12	31	19	0	0	1	0	0.36	-0.53	0.10	23	0.0	0		1	0	0	
Annual	88.4*	63.9*	76.1	3.0	727*	4903	112	Sep	31	Dec	201*	0*	1*	0*	14.52	-6.93	1.37*	Apr	0.0*	0*	Dec	35*	12*	2*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1999)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem-->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	76.6X	48.4	62.5X	7.3	143B	72B	92	22	30	10	2	0	1	0	0.00	-0.92	0.00	31	0.0	0		0	0	0	
2	82.3X	56.1	69.2X	9.6	59B	153B	92	28	32	13	3	0	1	0	0.15	-0.93	0.06	27	0.0X	0		0	0	0	
3	85.3	61.7	73.5	5.5	11	283	98	03	43	15	13	0	0	0	1.82	1.31	1.52	28	0.0	0		2	1	1	
4	93.0	68.1	80.6	4.9	3	479	105	24	48	17	21	0	0	0	0.02	-1.36	0.02	30	0.0	0		0	0	0	
5	98.0	71.2	84.6	4.0	0	615	111	05	64	07	27	0	0	0	0.36	-2.29	0.14	18	0.0	0		1	0	0	
6	99.8	75.8	87.8	3.1	0	694	106	29	70	13	30	0	0	0	3.30	0.72	2.99	15	0.0	0		2	1	1	
7	99.0	74.5	86.8	0.4	0	682	107	30	70	14	28	0	0	0	1.90	0.33	0.87	18	0.0	0		5	1	0	
8	102.1	74.8	88.5	2.0	0	737	108	15	64	23	30	0	0	0	1.19	-1.30	1.00	23	0.0	0		2	1	1	
9	94.8	70.6	82.7	0.5	2	541	103	04	59	30	26	0	0	0	5.53	0.90	2.18	30	0.0	0		4	3	2	
10	85.9	61.0	73.5	-1.0	19	290	96	17	49	21	13	0	0	0	2.95	1.19	2.83	18	0.0	0		2	1	1	
11	82.1	56.1	69.1	3.0	37	168	89	23	39	26	0	0	0	0	0.09	-0.90	0.09	25	0.0	0		0	0	0	
12	72.0	47.4	59.7	1.8	195	38	88	09	38	06	0	0	0	0	0.58	-0.31	0.45	23	0.0	0		2	0	0	
Annual	89.2*	63.8*	76.5	3.4	469*	4752	111	May	30	Jan	193*	0*	2*	0*	17.89	-3.56	2.99*	Jun	0.0*	0*	Dec	20*	8*	6*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1998)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	78.7	51.5	65.1	9.9	75	88	86	05	36	08	0	0	0	0	0.00	-0.92	0.00	31	0.0	0		0	0	0		
2	80.2	51.0	65.6	6.0	49	75	95	26	39	07	2	0	0	0	1.17	0.09	1.12	15	0.0	0		1	1	1		
3	80.8	55.9	68.4	0.4	81	191	100	31	38	10	10	0	0	0	1.68	1.17	1.32	13	0.0	0		3	1	1		
4	91.5	61.4	76.5	0.8	0	351	105	16	51	01	17	0	0	0	0.02	-1.36	0.02	29	0.0	0		0	0	0		
5	102.2	71.7	87.0	6.4	0	687	110	08	63	01	31	0	0	0	0.00	-2.65	0.00	31	0.0	0		0	0	0		
6	106.1	77.9	92.0	7.3	0	816	116	16	72	30	30	0	0	0	1.72	-0.86	1.51	30	0.0	0		2	1	1		
7	105.2	78.1	91.7	5.3	0	832	110	07	71	15	31	0	0	0	0.50	-1.07	0.45	15	0.0	0		1	0	0		
8	103.1	77.2	90.2	3.7	0	788	108	15	73	15	31	0	0	0	0.85	-1.64	0.43	20	0.0	0		3	0	0		
9	94.2	74.1	84.2	2.0	0	581	102	05	71	20	24	0	0	0	6.91	2.28	1.42	16	0.0	0		10	6	4		
10	87.0	66.5	76.8	2.3	0	372	99	06	53	24	13	0	0	0	1.25	-0.51	0.50	19	0.0			3	1	0		
11	78.4	60.9	69.7	3.6	32	180	90	01	51	07	1	0	0	0	1.64	0.65	0.58	14	0.0	0		4	2	0		
12	70.9	48.4	59.7	1.8	242	83	89	07	30	26	0	0	2	0	0.27	-0.62	0.18	11	0.0	0		1	0	0		
Annual	89.9*	64.6*	77.2	4.1	479*	5044	116	Jun	30	Dec	190*	0*	2*	0*	16.01	-5.44	1.51*	Jun	0.0*	0*	Dec	28*	12*	7*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1997)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	66.1	44.8	55.5	0.3	342	54	97	05	29	14	2	0	4	0	0.17	-0.75	0.04	08	0.0	0		0	0	0	
2	73.3	49.8	61.6	2.0	146	57	95	22	38	15	3	0	0	0	0.88	-0.20	0.33	12	0.0	0		4	0	0	
3	82.9	59.5	71.2	3.2	27	227	100	02	49	03	9	0	0	0	1.81	1.30	1.30	11	0.0	0		3	1	1	
4	81.1	59.4	70.3	-5.4	31	196	99	22	47	14	6	0	0	0	5.18	3.80	2.61	18	0.0	0		7	4	1	
5	91.4	67.5	79.5	-1.1	0	456	101	27	55	04	21	0	0	0	1.22	-1.43	0.37	10	0.0	0		3	0	0	
6	98.7	74.4	86.6	1.9	0	653	105	18	68	18	28	0	0	0	2.08	-0.50	1.72	18	0.0	0		3	1	1	
7	104.1	76.6	90.4	4.0	0	793	107	31	73	05	31	0	0	0	0.06	-1.51	0.04	21	0.0	0		0	0	0	
8	104.5	76.8	90.7	4.2	0	800	109	10	73	27	31	0	0	0	0.72	-1.77	0.43	25	0.0	0		2	0	0	
9	97.7	72.9	85.3	3.1	0	615	104	17	64	27	28	0	0	0	3.62	-1.01	1.37	21	0.0	0		6	2	1	
10	87.7	63.5	75.6	1.1	11	349	98	05	46	27	15	0	0	0	3.01	1.25	1.77	11	0.0	0		3	2	1	
11	73.7	53.9	63.8	-2.3	128	97	96	01	42	16	3	0	0	0	1.78	0.79	0.83	12	0.0	0		3	2	0	
12	71.2	44.8	58.0	0.1	221	12	84	21	32	28	0	0	1	0	0.42	-0.47	0.22	13	0.0	0		2	0	0	
Annual	86.0*	62.0*	74.0	0.9	906*	4309	109	Aug	29	Jan	177*	0*	5*	0*	20.95	-0.50	2.61*	Apr	0.0*	0*	Dec	36*	12*	5*	

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1996)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	74.1	43.5	58.8	3.6	213	29	91	24	25	08	1	0	4	0	0.02	-0.90	0.01	31	0.0	0		0	0	0		
2	78.5	50.3	64.4	4.8	168	160	102	21	29	03	8	0	3	0	0.13	-0.95	0.04	13	0.0	0		0	0	0		
3	80.1	50.8	65.5	-2.5	137	159	99	25	30	08	9	0	1	0	0.00	-0.51	0.00	31	0.0	0		0	0	0		
4	91.2	60.3	75.8	0.1	21	352	107	20	43	06	19	0	0	0	0.44	-0.94	0.41	06	0.0	0		1	0	0		
5	98.6	72.8	85.7	5.1	0	651	106	30	58	01	30	0	0	0	1.84	-0.81	1.00	30	0.0	0		2	2	1		
6	102.4	75.9	89.2	4.5	0	733	107	20	71	09	30	0	0	0	0.12	-2.46	0.05	24	0.0	0		0	0	0		
7	103.7	77.0	90.4	4.0	0	794	107	10	71	01	31	0	0	0	2.20	0.63	2.12	10	0.0	0		1	1	1		
8	98.3	74.7	86.5	0.0	0	675	109	04	66	20	27	0	0	0	7.23	4.74	1.65	09	0.0	0		9	6	3		
9	96.9	72.9	84.9	2.7	0	604	105	17	56	29	28	0	0	0	2.09	-2.54	1.25	19	0.0	0		2	2	1		
10	88.0	64.4	76.2	1.7	6	360	97	27	45	23	12	0	0	0	1.48	-0.28	0.74	04	0.0	0		3	2	0		
11	81.8	57.7	69.8	3.7	72	222	97	07	40	26	9	0	0	0	0.63	-0.36	0.36	28	0.0	0		2	0	0		
12	73.6	49.0	61.3	3.4	172	65	88	15	20	19	0	0	2	0	0.60	-0.29	0.39	04	0.0	0		1	0	0		
Annual	88.9*	62.4*	75.7	2.6	789*	4804	109	Aug	20	Dec	204*	0*	10*	0*	16.78	-4.67	2.12*	Jul	0.0*	0*	Dec	21*	13*	6*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1995)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	70.5	48.0	59.3	4.1	199	31	86	17	35	31	0	0	0	0	0.39	-0.53	0.15	25	0.0	0		2	0	0	
2	78.0	52.1	65.1	5.5	80	88	91	24	42	13	2	0	0	0	0.20	-0.88	0.06	13	0.0	0		0	0	0	
3	79.9	56.3	68.1	0.1	108	213	102	22	39	09	8	0	0	0	0.66	0.15	0.22	28	0.0	0		3	0	0	
4	91.6	63.1	77.4	1.7	3	381	108	18	52	24	21	0	0	0	0.05	-1.33	0.04	01	0.0	0		0	0	0	
5	99.1	73.1	86.1	5.5	0	664	114	14	62	20	30	0	0	0	2.38	-0.27	2.27	31	0.0	0		1	1	1	
6	98.9	73.1	86.0	1.3	0	638	105	09	65	13	29	0	0	0	0.46	-2.12	0.32	12	0.0	0		2	0	0	
7	102.8	76.1	89.5	3.1	0	767	108	24	71	17	30	0	0	0	0.96	-0.61	0.64	15	0.0	0		3	1	0	
8	98.4	75.9	87.2	0.7	0	694	105	05	71	24	28	0	0	0	2.75	0.26	1.72	24	0.0	0		4	2	1	
9	96.5	72.4	84.5	2.3	6	599	104	20	54	23	27	0	0	0	4.16	-0.47	3.60	22	0.0	0		4	1	1	
10	87.9	63.2	75.6	1.1	0	336	96	03	51	16	12	0	0	0	1.37	-0.39	0.71	03	0.0	0		2	2	0	
11	76.4	56.0	66.2	0.1	81	126	92	03	40	29	4	0	0	0	3.57	2.58	3.20	17	0.0	0		3	1	1	
12	69.0	51.1	60.1	2.2	223	78	87	14	37	10	0	0	0	0	0.96	0.07	0.35	22	0.0	0		3	0	0	
Annual	87.4*	63.4*	75.4	2.3	700*	4615	114	May	35	Jan	191*	0*	0*	0*	17.91	-3.54	3.60*	Sep	0.0*	0*	Dec	27*	8*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1994)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	71.7	47.5	59.6	4.4	192	30	89	07	35	09	0	0	0	0	1.92	1.00	1.32	21	0.0	0		3	1	1	
2	73.6	50.4	62.0	2.4	150	75	93	09	33	02	1	0	0	0	0.09	-0.99	0.04	28	0.0	0		0	0	0	
3	83.3	56.7	70.0	2.0	40	199	99	27	39	10	11	0	0	0	0.77	0.26	0.57	16	0.0	0		2	1	0	
4	87.7	62.8	75.3	-0.4	5	319	102	28	45	07	14	0	0	0	0.51	-0.87	0.16	23	0.0	0		3	0	0	
5	92.5	69.8	81.2	0.6	13	521	103	31	54	02	25	0	0	0	1.32	-1.33	0.70	15	0.0	0		3	1	0	
6	99.8	74.3	87.1	2.4	0	668	109	29	67	10	30	0	0	0	3.21	0.63	1.15	10	0.0	0		5	2	2	
7	104.9	76.0	90.5	4.1	0	796	108	26	71	31	31	0	0	0	0.81	-0.76	0.81	31	0.0	0		1	1	0	
8	99.5	73.9	86.7	0.2	0	682	106	24	70	29	31	0	0	0	1.26	-1.23	0.91	12	0.0	0		3	1	0	
9	93.5	69.3	81.4	-0.8	0	501	102	08	63	23	25	0	0	0	2.03	-2.60	0.64	16	0.0	0		6	2	0	
10	88.9	66.3	77.6	3.1	10	405	101	04	51	11	18	0	0	0	0.53	-1.23	0.27	27	0.0	0		2	0	0	
11	84.8	62.5	73.7	7.6	14	280	96	03	51	25	10	0	0	0	0.06	-0.93	0.03	24	0.0	0		0	0	0	
12	73.1	54.5	63.8	5.9	133	101	93	07	40	11	2	0	0	0	1.35	0.46	0.80	18	0.0	0		3	1	0	
Annual	87.8*	63.7*	75.7	2.6	557*	4577	109	Jun	33	Feb	198*	0*	0*	0*	13.86	-7.59	1.32*	Jan	0.0*	0*	Dec	31*	10*	3*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1993)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	68.2	48.1	58.2	3.0	235	30	86	24	34	26	0	0	0	0	0.43	-0.49	0.19	30	0.0	0		1	0	0		
2	73.9	52.4	63.2	3.6	121	74	94	16	38	07	2	0	0	0	1.36	0.28	0.85	28	0.0	0		3	1	0		
3	79.2	55.9	67.6	-0.4	91	178	95	11	34	14	7	0	0	0	0.52	0.01	0.13	12	0.0	0		3	0	0		
4	89.1	60.5	74.8	-0.9	0	301	97	12	48	05	15	0	0	0	0.99	-0.39	0.60	08	0.0	0		2	1	0		
5	91.9	67.1	79.5	-1.1	0	456	98	17	55	11	24	0	0	0	1.00	-1.65	0.30	24	0.0	0		4	0	0		
6	94.5	73.6	84.1	-0.6	0	580	106	04	68	11	23	0	0	0	6.72	4.14	2.26	21	0.0	0		7	5	2		
7	99.7	72.3	86.0	-0.4	0	658	105	26	63	05	31	0	0	0	0.00	-1.57	0.00	31	0.0	0		0	0	0		
8	102.2	72.9	87.6	1.1	0	706	105	07	69	08	31	0	0	0	0.00	-2.49	0.00	31	0.0	0		0	0	0		
9	95.4	71.4	83.4	1.2	0	559	104	04	60	29	26	0	0	0	3.77	-0.86	1.37	07	0.0	0		6	4	1		
10	88.3	63.0	75.7	1.2	33	371	99	19	31	31	19	0	1	0	0.40	-1.36	0.25	30	0.0	0		2	0	0		
11	75.3	52.4	63.9	-2.2	130	103	92	14	32	27	3	0	1	0	0.57	-0.42	0.16	03	0.0	0		3	0	0		
12	73.6	51.7	62.7	4.8	148	84	88	03	35	23	0	0	0	0	0.33	-0.56	0.23	24	0.0	0		1	0	0		
Annual	85.9*	61.8*	73.9	0.8	758*	4100	106	Jun	31	Oct	181*	0*	2*	0*	16.09	-5.36	2.26*	Jun	0.0*	0*	Dec	32*	11*	3*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1992)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	61.6	46.7	54.2		329	2	72	23	33	20	0	0	0	0	3.65		0.96	26	0.0X	0		8	2	0	
2	73.3	53.8	63.6		80	46	85	15	43	06	0	0	0	0	2.56		2.06	04	0.0	0		3	1	1	
3	81.5	58.4	70.0		39	204	91	07	42	13	2	0	0	0	0.45		0.24	18	0.0	0		2	0	0	
4	83.1	61.5	72.3		30	258	96	20	46	04	10	0	0	0	2.69		1.07	02	0.0	0		6	1	1	
5	88.9	66.5	77.7		0	405	98	13	55	08	19	0	0	0	4.16		1.81	28	0.0	0		6	3	2	
6	98.6	73.9	86.3		0	643	107	29	66	08	28	0	0	0	0.98		0.95	10	0.0	0		1	1	0	
7	102.3	75.6	89.0		0	747	110	01	70	22	31	0	0	0	0.12		0.11	21	0.0	0		1	0	0	
8	99.3	73.9	86.6		0	676	105	25	68	18	30	0	0	0	1.89		0.80	15	0.0	0		3	2	0	
9	96.7	72.4	84.6		0	594	104	04	62	29	26	0	0	0	1.53		0.87	24	0.0	0		3	1	0	
10	88.9	63.8	76.4		1	363	98	16	53	02	12	0	0	0	2.99		2.64	23	0.0	0		3	1	1	
11	74.2	54.1	64.2		122	103	93	04	33	28	2	0	0	0	1.76		0.67	16	0.0	0		3	2	0	
12	68.7	51.2	60.0		179	30	85	31	41	06	0	0	0	0	0.60		0.17	15	0.0	0		2	0	0	
Annual	84.8*	62.6*	73.7		780*	4071	110	Jul	33	Nov	160*	0*	0*	0*	23.38		2.64*	Oct	0.0*	0*	Dec	41*	14*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1991)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	64.1	42.9	53.5		348	1	87	30	34	31	0	0	0	0	1.10		0.21	02	0.0	0		5	0	0	
2																									
3	88.4	59.3	73.9		4	284	104	27	45	04	13	0	0	0	0.24		0.10	17	0.0	0		1	0	0	
4	91.2	68.2	79.7		3	454	103	19	55	01	20	0	0	0	0.52		0.30	10	0.0	0		2	0	0	
5	94.0	72.1	83.1		0	569	101	04	64	06	27	0	0	0	7.06		4.42	25	0.0	0		5	3	3	
6	98.4	75.3	86.9		0	662	103	24	67	17	29	0	0	0	4.23		1.56	30	0.0	0		4	3	3	
7	96.1	74.5	85.3		0	638	104	31	70	01	28	0	0	0	3.21		3.05	01	0.0	0		1	1	1	
8	102.4	75.8	89.1		0	755	107	13	73	26	31	0	0	0	0.00		0.00	31	0.0	0		0	0	0	
9	90.2	69.0	79.6		5	450	101	03	54	26	18	0	0	0	2.37		0.63	03	0.0	0		7	1	0	
10	91.0	65.8	78.4		1	425	99	29	58	12	20	0	0	0	1.37		1.26	30	0.0	0		1	1	1	
11	73.2	50.9	62.1		170	88	88	30	35	09	0	0	0	0	0.36		0.14	07	0.0	0		2	0	0	
12	69.2	52.6	60.9		203	79	89	01	38	04	0	0	0	0	2.93		1.05	22	0.0	0		9	1	1	
Annual	87.1*	64.2*	75.7*		734*	4405*	107	Aug	34*	Jan	186*	0*	0*	0*	23.39*		4.42*	May	0.0*	0*	Dec	37*	10*	9*	

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1990)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	70.8	50.6	60.7		172	50	86	12	35	26	0	0	0	0	0.16		0.09	01	0.0	0		0	0	0	
2	75.2	52.7	64.0		95	71	91	16	42	05	2	0	0	0	2.85		2.24	21	0.0	0		4	1	1	
3	79.1	57.1	68.1		68	169	93	13	44	02	3	0	0	0	1.15		0.33	02	0.0	0		4	0	0	
4	86.2	64.0	75.1		13	324	106	30	47	07	10	0	0	0	2.95		2.35	24	0.0	0		5	1	1	
5	94.4	71.7	83.1		0	569	105	21	59	06	23	0	0	0	0.24		0.22	08	0.0	0		1	0	0	
6	104.2	75.7	90.0		0	754	106	26	71	11	30	0	0	0	0.00		0.00	30	0.0	0		0	0	0	
7	99.6	73.0	86.3		0	668	104	26	70	31	31	0	0	0	2.48		1.15	31	0.0	0		4	1	1	
8	99.6	73.3	86.5		0	673	104	26	69	11	29	0	0	0	3.68		1.91	10	0.0	0		4	3	1	
9	93.7	70.6	82.2		0	524	103	01	61	24	25	0	0	0	2.32		0.64	08	0.0	0		5	2	0	
10	88.3	60.5	74.4		8	308	99	04	45	11	14	0	0	0	0.94		0.69	10	0.0	0		2	1	0	
11	80.3	57.4	68.9		59	182	93	04	40	10	2	0	0	0	2.56		2.50	08	0.0	0		1	1	1	
12	71.6	46.1	58.9		246	64	88	18	26	24	0	0	4	0	0.06		0.04	23	0.0	0		0	0	0	
Annual	86.9*	62.7*	74.9		661*	4356	106	Jun	26	Dec	169*	0*	4*	0*	19.39		2.50*	Nov	0.0*	0*	Dec	30*	10*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1989)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	69.4X	52.1	60.8X		189B	66B	88	08	37	22	0	0	0	0	0.98		0.32	19	0.0	0		5	0	0	
2	68.6X	49.0	58.8X		258B	92B	95	28	30	07	3	0	3	0	0.44		0.22	18	0.0	0		2	0	0	
3	83.1	54.4	68.8		98	224	102	31	34	07	14	0	0	0	0.00		0.00	31	0.0	0		0	0	0	
4	87.5	62.0	74.8		27	325	106	09	49	06	16	0	0	0	2.45		0.85	05	0.0	0		6	2	0	
5	97.9	73.1	85.5		0	643	108	26	65	01	28	0	0	0	0.00		0.00	31	0.0	0		0	0	0	
6	98.8	74.6	86.7		0	657	106	09	65	17	28	0	0	0	1.62		1.22	14	0.0	0		3	1	1	
7	100.4	73.8	87.1		0	691	107	18	69	23	31	0	0	0	1.28		0.98	28	0.0	0		2	1	0	
8	98.1	74.4	86.3		0	666	104	06	70	10	30	0	0	0	2.64		1.72	09	0.0	0		4	2	1	
9	93.3	68.4	80.9		0	479	103	09	52	26	21	0	0	0	3.24		3.20	13	0.0	0		1	1	1	
10	88.7	60.9	74.8		24	336	99	06	34	21	17	0	0	0	0.02		0.02	29	0.0	0		0	0	0	
11	79.9	56.6	68.3		55	158	92	08	40	24	6	0	0	0	0.20		0.14	19	0.0	0		1	0	0	
12	60.0	37.9	49.0		501	8	83	07	15	23	0	1	8	0	1.88		1.28	03	0.0	0		3	1	1	
Annual	85.5*	61.4*	73.5		1152*	4345	108	May	15	Dec	194*	1*	11*	0*	14.75		3.20*	Sep	0.0*	0*	Dec	27*	8*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1988)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	61.0	43.6	52.3		390	5	82	31	33	26	0	0	0	0	1.28		0.94	16	0.0	0		3	1	0	
2	69.3	48.6	59.0		207	38	83	29	30	13	0	0	2	0	0.92		0.41	26	0.0	0		3	0	0	
3	80.7	54.0	67.4		69	146	96	29	35	20	6	0	0	0	0.48		0.25	17	0.0	0		2	0	0	
4	82.2X	62.1	72.2X		24B	250B	96	27	45	03	3	0	0	0	0.29		0.19	11	0.0	0		1	0	0	
5	91.6X	69.3	80.5X		0B	489B	100	09	64	13	23	0	0	0	3.70		3.70	12	0.0	0		1	1	1	
6	95.7	72.7	84.2		0	585	108	10	67	05	25	0	0	0	0.38		0.22	17	0.0	0		2	0	0	
7	100.1	75.6	87.9		0	715	104	27	67	28	31	0	0	0	2.92		1.16	28	0.0	0		6	2	1	
8	97.8	75.1	86.5		0	673	106	12	71	19	27	0	0	0	1.22		0.49	19	0.0	0		4	0	0	
9	92.7	70.8	81.8		0	510	99	13	63	09	26	0	0	0	6.68		3.34	17	0.0	0		6	2	2	
10	87.1	64.8	76.0		0	347	92	24	57	05	9	0	0	0	2.90		2.90	29	0.0	0		1	1	1	
11	81.0	58.4	69.7		52	200	95	05	40	28	5	0	0	0	0.00		0.00	30	0.0	0		0	0	0	
12	71.5	49.2	60.4		184	49	86	27	34	18	0	0	0	0	0.09		0.06	10	0.0	0		0	0	0	
Annual	84.2*	62.0*	73.2		926*	4007	108	Jun	30	Feb	155*	0*	2*	0*	20.86		3.70*	May	0.0*	0*	Dec	29*	7*	5*	

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1987)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	66.2	43.9	55.1		301	0	84	29	31	20	0	0	4	0	0.52		0.20	14	0.0	0		2	0	0	
2	71.7	51.7	61.7		127	44	86	15	41	09	0	0	0	0	1.70		1.04	26	0.0	0		5	1	1	
3	74.6	51.8	63.2		108	58	87	17	27	31	0	0	1	0	0.49		0.37	11	0.0	0		2	0	0	
4	81.7	54.2	68.0		79	173	100	18	30	01	9	0	1	0	3.11		1.21	07	0.0	0		4	3	1	
5	89.8	68.9	79.4		0	454	95	20	61	05	19	0	0	0	4.79		2.00	25	0.0	0		5	2	2	
6	90.4	72.5	81.5		0	501	98	30	67	04	20	0	0	0	2.29		0.58	06	0.0	0		6	2	0	
7																									
8	100.9	74.9	87.9		0	719	106	17	70	31	31	0	0	0	1.92		0.85	31	0.0	0		3	2	0	
9	93.6	72.0	82.8		0	544	103	18	60	25	21	0	0	0	1.39		0.99	01	0.0	0		2	1	0	
10																									
11	77.3	53.8	65.6		107	131	90	16	40	29	1	0	0	0	0.89		0.59	09	0.0	0		2	1	0	
12	70.3	50.0	60.2		208	65	87	12	37	30	0	0	0	0	0.64		0.20	18	0.0	0		3	0	0	
Annual	81.6*	59.4*	70.5*		930*	2689*	106*	Aug	27*	Mar	101*	0*	6*	0*	17.74*		2.00*	May	0.0*	0*	Dec	34*	12*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1986)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	70.5	44.7	57.6		233	12	84	30	35	11	0	0	0	0	0.56		0.53	08	0.0	0		1	1	0	
2	78.5	50.0	64.3		139	124	101	21	33	11	6	0	0	0	0.25		0.10	09	0.0	0		1	0	0	
3	84.5	54.8	69.7		21	177	98	12	42	01	3	0	0	0	0.54		0.25	08	0.0	0		2	0	0	
4	91.0	67.3	79.2		0	430	103	13	56	21	18	0	0	0	3.32		1.71	30	0.0	0		3	2	2	
5	91.8	69.3	80.6		0	492	99	18	59	21	23	0	0	0	2.96		1.23	29	0.0	0		8	1	1	
6	93.8	73.4	83.6		0	567	101	30	69	09	26	0	0	0	4.31		1.69	09	0.0	0		7	3	1	
7	101.0	73.6	87.3		0	699	105	30	70	08	30	0	0	0	0.00		0.00	31	0.0	0		0	0	0	
8	100.2	74.5	87.4		0	700	107	21	70	24	29	0	0	0	1.08		0.51	22	0.0	0		3	1	0	
9	96.7	73.8	85.3		0	614	101	26	70	24	27	0	0	0	1.52		0.94	09	0.0	0		3	1	0	
10	85.9	65.5	75.7		8	350	101	04	52	14	7	0	0	0	1.91		1.25	07	0.0	0		3	1	1	
11	73.6	55.2X	64.4X		144B	125B	91	09	39	29	1	0	0	0	1.08		0.45	13	0.0	0		2	0	0	
12	63.5	48.1	55.8		290	12	82	01	34	12	0	0	0	0	3.41		0.96	30	0.0	0		8	3	0	
Annual	85.9*	62.5*	74.2		835*	4302	107	Aug	33	Feb	170*	0*	0*	0*	20.94		1.71*	Apr	0.0*	0*	Dec	41*	13*	5*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1985)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	62.4	40.7	51.6		415	6	85	01	27	21	0	0	6	0	1.60		0.53	27	0.0	0		5	1	0	
2	67.5	46.8	57.2		268	55	90	23	24	03	2	0	5	0	0.96		0.46	27	0.0	0		3	0	0	
3	81.0	60.1	70.6		47	225	96	13	50	31	8	0	0	0	0.48		0.18	15	0.0	0		2	0	0	
4	84.8X	64.4	74.6X		7B	305B	95	27	53	02	10	0	0	0	4.75		1.45	28	0.0	0		6	3	3	
5	91.1	68.8	80.0		0	470	101	31	60	04	20	0	0	0	3.20		0.72	15	0.0	0		6	4	0	
6																									
7	97.2	72.5	84.9		0	626	105	25	63	01	28	0	0	0	2.11		2.03	04	0.0	0		1	1	1	
8	101.8	74.9	88.4		0	729	106	06	71	31	30	0	0	0	0.89		0.49	30	0.0	0		2	0	0	
9	97.4	72.3	84.9		0	600	105	06	61	30	28	0	0	0	2.25		0.66	30	0.0	0		5	3	0	
10	86.4	66.1	76.3		7	363	99	14	52	02	12	0	0	0	2.51		0.97	15	0.0	0		4	3	0	
11	81.3	59.6	70.5		48	218	95	14	45	04	7	0	0	0	1.47		1.39	20	0.0	0		1	1	1	
12	66.5	42.7	54.6		340	24	88	01	28	15	0	0	3	0	0.18		0.03	23	0.0	0		0	0	0	
Annual	83.4*	60.8*	72.1*		1132*	3621*	106*	Aug	24	Feb	145*	0*	14*	0*	20.40*		2.03*	Jul	0.0*	0*	Dec	35*	16*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1984)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	59.9	42.2	51.1		428	2	79	30	23	01	0	0	2	0	3.52		0.90	25	0.0	0		7	3	0		
2	74.2	48.4	61.3		174	76	90	15	37	08	1	0	0	0	0.91		0.77	01	0.0	0		1	1	0		
3	82.2	55.7	69.0		52	183	105	28	39	07	8	0	0	0	0.05		0.05	06	0.0	0		0	0	0		
4	93.1	61.6	77.4		0	376	109	21	52	17	22	0	0	0	0.04		0.04	19	0.0	0		0	0	0		
5	94.0	66.9	80.5		0	485	108	07	51	10	21	0	0	0	2.80		1.10	17	0.0	0		6	2	1		
6	97.5	72.8	85.2		0	611	104	28	59	01	29	0	0	0	0.22		0.22	05	0.0	0		1	0	0		
7	99.4	72.5	86.0		0	659	104	19	69	14	30	0	0	0	2.06		0.78	29	0.0	0		3	2	0		
8	99.8	73.7	86.8		0	678	104	20	71	24	31	0	0	0	0.73		0.65	10	0.0	0		1	1	0		
9	91.8	70.4	81.1		6	494	100	25	55	30	20	0	0	0	2.69		1.76	29	0.0	0		3	1	1		
10	85.1	68.6	76.9		8	384	99	21	57	24	12	0	0	0	1.40		0.60	09	0.0	0		5	1	0		
11	77.7	54.2	66.0		97	133	93	02	33	29	3	0	0	0	0.59		0.53	02	0.0	0		1	1	0		
12	76.0	55.3	65.7		95	120	90	15	35	07	1	0	0	0	0.39		0.13	04	0.0	0		2	0	0		
Annual	85.9*	61.9*	73.9		860*	4201	109	Apr	23	Jan	178*	0*	2*	0*	15.40		1.76*	Sep	0.0*	0*	Dec	30*	12*	2*		

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1983)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	65.0	44.5	54.8		314	1	80	31	36	03	0	0	0	0	0.84		0.24	21	0.0	0		3	0	0		
2	71.8	47.8	59.8		151	13	89	20	41	02	0	0	0	0	6.03		2.75	26	0.0	0		7	3	2		
3	80.0	53.3	66.7		38	95	95	05	45	21	1	0	0	0	0.66		0.33	16	0.0	0		2	0	0		
4	86.4	57.6	72.0		21	238	98	05	42	09	13	0	0	0	0.00		0.00+	30	0.0	0		0	0	0		
5	92.5	69.8	81.2		0	509	109	03	58+	07	23	0	0	0	1.27		0.69	28	0.0	0		2	2	0		
6	96.8	72.5	84.7		0	597	105	28	65	07	29	0	0	0	2.24		1.23	07	0.0	0		3	1	1		
7	96.2	74.4	85.3		0	633	102+	02	70	22	29	0	0	0	3.48		1.38	02	0.0	0		6	2	2		
8	98.6	73.8	86.2		0	665	103+	20	65	05	30	0	0	0	4.25		2.90	05	0.0	0		2	2	2		
9	95.0	71.4	83.2		0	552	103+	07	55	22	25	0	0	0	2.10		1.27	21	0.0	0		4	1	1		
10	88.0	64.0	76.0		0	348	98	06	52+	27	14	0	0	0	1.60		1.29	09	0.0	0		3	1	1		
11	82.6	54.8	68.7		56	175	94	14	41+	25	5	0	0	0	0.65		0.45	07	0.0	0		2	0	0		
12	62.3	38.6	50.5		469	25	87	11	15+	26	0	1	8	0	1.12		0.62	01	0.0	0		3	1	0		
Annual	84.6*	60.2*	72.4		1049*	3851	109	May	15	Dec	169*	1*	8*	0*	24.24		2.90*	Aug	0.0*	0*	Dec	37*	13*	9*		

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1982)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	73.6	44.5	59.1		236	57	89	23	25+	15	0	0	7	0	0.00		0.00+	31	0.0	0		0	0	0	
2	67.6	45.3	56.5		272	41	95	18	31	10	3	0	2	0	0.62		0.20	20	0.0	0		3	0	0	
3	82.7	56.6	69.7		87	238	99+	20	37+	09	10	0	0	0	0.14		0.07	29	0.0	0		0	0	0	
4	88.4	63.4	75.9		28	363	102	14	50	23	17	0	0	0	1.53		0.69	28	0.0	0		3	2	0	
5	87.9	69.1	78.5		0	424	97	15	59+	09	12	0	0	0	8.26		3.00	22	0.0	0		7	4	2	
6	97.3	74.5	85.9		0	635	104+	29	68	13	29	0	0	0	0.14		0.09	13	0.0	0		0	0	0	
7	102.6	75.6	89.1		0	756	105+	30	73	28	31	0	0	0	0.00		0.00+	31	0.0	0		0	0	0	
8	101.0	74.7	87.9		0	715	106+	17	66	22	31	0	0	0	2.63		2.20	22	0.0	0		2	1	1	
9	96.7	70.2	83.5		0	561	108	11	61	25	27	0	0	0	2.22		1.13	15	0.0	0		4	2	1	
10	84.6	63.4	74.0		13	299	98	02	47	26	13	0	0	0	2.22		0.86	12	0.0	0		5	2	0	
11	76.9	53.8	65.4		136	154	94	01	41+	26	4	0	0	0	1.20		0.47	03	0.0	0		5	0	0	
12	69.7	46.6	58.2		242	36	94	03	35+	27	1	0	0	0	2.10		1.11	10	0.0	0		3	2	1	
Annual	85.8*	61.5*	73.6		1014*	4279	108	Sep	25	Jan	178*	0*	9*	0*	21.06		3.00*	May	0.0*	0*	Dec	32*	13*	5*	

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1981)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	64.8X	45.2X	55.0X		313	8	83	30	32	21	0	0	1	0	2.88		0.57	13	0.0	0		10	1	0	
2	69.1	48.6	58.9		202	35	86	11	30	12	0	0	1	0	0.86		0.40	14	0.0	0		3	0	0	
3	76.3	54.8	65.6		74	98	91	31	44	20	1	0	0	0	1.93		0.73	11	0.0	0		3	2	0	
4	86.7	65.8	76.3		0	346	97	04	51	06	12	0	0	0	4.21		1.23	24	0.0	0		5	5	2	
5	89.3	68.9X	79.1X		0	445	100	18	59+	12	16	0	0	0	5.85		2.41	02	0.0	0		6	4	2	
6	93.0	73.5	83.3		0	556	98+	14	71+	28	26	0	0	0	3.79		2.65	17	0.0	0		4	2	1	
7	97.3	73.5	85.4		0	640	103	20	70	06	30	0	0	0	1.26		0.59	06	0.0	0		3	1	0	
8	97.7	73.8	85.8		0	650	103+	18	71	26	28	0	0	0	4.78		2.30	29	0.0	0		8	2	1	
9	93.4	70.0	81.7		0	508	98+	15	51+	20	26	0	0	0	1.76		0.70	30	0.0	0		4	1	0	
10	88.0	65.1	76.6		28	394	98+	18	48+	27	16	0	0	0	2.79		1.17	24	0.0	0		3	3	2	
11	80.3X	53.5X	66.9X		55	122	90	30	41	11	1	0	0	0	0.00		0.00		0.0	0		0	0	0	
12	72.3X	46.2	59.3X		206	30	90	22	35+	19	1	0	0	0	0.21		0.10	30	0.0	0		1	0	0	
Annual	84.0*	61.6*	72.8*		878*	3832*	103*	Aug	30*	Feb	157*	0*	2*	0*	30.32*		2.65*	Jun	0.0*	0*	Dec	50*	21*	8*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1980)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	69.8	47.0	58.4		228	31	83+	21	35	05	0	0	0	0	0.11		0.03	31	0.0	0		0	0	0		
2	69.6X	47.1X	58.4X		232	52	94	21	34	18	1	0	0	0	0.71		0.53	12	0.0	0		1	1	0		
3	84.0X	54.8	69.4X		27	197	96	17	31+	04	5	0	4	0	0.03		0.02	18	0.0	0		0	0	0		
4	87.1	59.4	73.3		19	274	99+	08	40+	15	12	0	0	0	0.00		0.00		0.0	0		0	0	0		
5	94.2	71.4	82.8		0	559	103	16	66+	11	24	0	0	0	1.42		0.62	22	0.0	0		5	1	0		
6	102.9	76.0	89.5		0	741	109	27	72	15	30	0	0	0	0.00		0.00		0.0	0		0	0	0		
7	103.4	76.4	89.9		0	780	108+	17	71	22	31	0	0	0	1.36		1.13	22	0.0	0		2	1	1		
8	97.1X	74.8X	86.0X		0	658	105	04	68+	12	28	0	0	0	2.92				0.0	0						
9	98.2	74.0	86.1		0	640	102+	22	69	17	28	0	0	0	0.92		0.57	27	0.0	0		3	1	0		
10	85.2	62.8	74.0		38	323	98	18	44	31	14	0	0	0	0.78		0.31	21	0.0	0		2	0	0		
11	71.7	49.4	60.6		209	82	95	09	35+	29	3	0	0	0	2.34		0.77	22	0.0	0		5	2	0		
12	66.9X	48.3X	57.6X		255	35	84	09	36+	27	0	0	0	0	0.30		0.12	15	0.0	0		1	0	0		
Annual	85.8*	61.8*	73.8*		1008*	4372*	109*	Jun	31*	Mar	176*	0*	4*	0*	10.89*		1.13*	Jul	0.0*	0*	Dec	19*	6*	1*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1979)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	62.0	40.4	51.2		438		83	19	22+	04	0	0	7	0	0.46		0.11	25	0.0	0		2	0	0	
2	67.8	46.4	57.1		257		93	23	34	18	2	0	0	0	0.39		0.15+	06	0.0	0		2	0	0	
3	81.5	57.8	69.7		49		94+	19	41	08	6	0	0	0	0.21		0.15	16	0.0	0		1	0	0	
4	88.2	65.7	77.0		0		99	11	53+	06	13	0	0	0	0.79		0.62	21	0.0	0		2	1	0	
5	91.2	67.8	79.5		0		107	31	56+	14	20	0	0	0	1.32		1.13	04	0.0	0		2	1	1	
6	94.7	72.2	83.5		0		103	22	62	12	23	0	0	0	2.78		1.00	06	0.0	0		5	3	1	
7	99.6	75.9	87.8		0		103+	26	70	06	31	0	0	0	1.88		1.36	06	0.0	0		3	1	1	
8	99.4	74.1	86.8		0		105	12	71+	27	30	0	0	0	0.55		0.29	30	0.0	0		2	0	0	
9	89.2	67.5	78.4		0		102	02	60+	26	10	0	0	0	4.60		1.52	08	0.0	0		9	3	1	
10	91.7	62.0	76.9		2		99	31	48	24	22	0	0	0	0.00		0.00		0.0	0		0	0	0	
11	76.2	52.6	64.4		97		92	21	36	30	1	0	0	0	0.04		0.04	17	0.0	0		0	0	0	
12	67.1	48.2	57.7		250		86	22	37+	19	0	0	0	0	2.74		1.00	03	0.0	0		6	1	1	
Annual	84.0*	60.9*	72.5*		1093*		107*	May	22*	Jan	158*	0*	7*	0*	15.76*		1.52*	Sep	0.0*	0*	Dec	34*	10*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1978)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	59.9	42.0	51.0		429		81	17	35+	21	0	0	0	0	0.71		0.15	02	0.0	0		2	0	0	
2	63.9	42.3	53.1		345		85	26	33	23	0	0	0	0	0.43		0.15	15	0.0	0		1	0	0	
3	81.8	52.4	67.1		72		94	01	35+	06	4	0	0	0	0.01		0.01	02	0.0	0		0	0	0	
4	88.3	64.7	76.5		5		99+	24	54	12	16	0	0	0	0.99		0.90	12	0.0	0		1	1	0	
5	92.1	70.9	81.5		0		105	02	63	04	24	0	0	0	2.67		1.54	22	0.0	0		3	2	1	
6	99.0	73.8	86.4		0		109	28	68	08	28	0	0	0	3.01		2.50	03	0.0	0		3	1	1	
7	102.8	75.9	89.4		0		105+	22	72	04	31	0	0	0	0.02		0.02	25	0.0	0		0	0	0	
8	99.4	74.6	87.0		0		106	18	70	21	30	0	0	0	2.29		0.94	01	0.0	0		4	2	0	
9	89.7	72.7	81.2		0		98	10	65	30	16	0	0	0	8.22		2.35	01	0.0	0		10	7	2	
10	82.7	62.1	72.4		3		97	05	51	17	3	0	0	0	3.36		1.25	06	0.0	0		8	2	1	
11	75.3	58.0	66.7		79		88	15	45+	09	0	0	0	0	0.35		0.16	19	0.0	0		1	0	0	
12	68.7	47.8	58.3		235		91	21	24	10	1	0	2	0	0.98		0.78	27	0.0	0		2	1	0	
Annual	83.6*	61.4*	72.6*		1168*		109*	Jun	24*	Dec	153*	0*	2*	0*	23.04*		2.50*	Jun	0.0*	0*	Dec	35*	16*	5*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1977)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	58.5	42.4	50.5		446		82+	29	29+	20	0	0	2	0	1.37		0.41	02	0.0	0		5	0	0	
2	70.1	47.6	58.9		198		99	26	34	27	1	0	0	0	0.85		0.45	01	0.0	0		3	0	0	
3	79.7	53.6	66.7		66		93	18	39+	08	4	0	0	0	0.15		0.08	23	0.0	0		0	0	0	
4	84.6	60.3	72.5		8		95	04	45+	06	5	0	0	0	0.74		0.61	30	0.0	0		1	1	0	
5	91.2	70.8	81.0		0		97+	31	65	09	22	0	0	0	1.39		0.85	09	0.0	0		3	1	0	
6	96.4	73.2	84.8		0		104	14	69	09	26	0	0	0	2.44		1.91	06	0.0	0		3	1	1	
7	99.7	74.5	87.1		0		104	31	72+	05	31	0	0	0	0.73		0.53	19	0.0	0		2	1	0	
8	101.9	75.7	88.8		0		106	04	73+	18	31	0	0	0	1.31		1.20	29	0.0	0		2	1	1	
9	96.6	73.6	85.1		0		103	14	67	14	29	0	0	0	2.94		1.80	14	0.0	0		5	2	1	
10	87.1	65.1	76.1		7		100+	03	46+	14	12	0	0	0	0.62		0.40	23	0.0	0		2	0	0	
11	81.5	55.2	68.4		48		92	01	40	11	3	0	0	0	0.10		0.10	02	0.0	0		1	0	0	
12	72.8	47.4	60.1		184		94	06	26	22	3	0	1	0	0.47		0.23	12	0.0	0		2	0	0	
Annual	85.0*	61.6*	73.3*		957*		106*	Aug	26*	Dec	167*	0*	3*	0*	13.11*		1.91*	Jun	0.0*	0*	Dec	29*	7*	3*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1976)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1											0	0		0	0.61E				0.0	0					
2	79.6	50.8	65.2		93		91	18	34	23	2	0	0	0	0.00		0.00		0.0	0		0	0	0	
3	80.5	57.4	69.0		66		100	21	44+	18	11	0	0	0	0.83		0.36	24	0.0	0		3	0	0	
4	86.0	64.1	75.1		2		99	18	51+	02	6	0	0	0	2.33		0.85	05	0.0	0		5	1	0	
5	87.5	63.7	75.6		6		102	31	50+	03	15	0	0	0	0.75		0.30	13	0.0	0		1	0	0	
6	96.8	71.6	84.2		0		104	18	67+	06	30	0	0	0	2.75		1.38	01	0.0	0		4	2	1	
7	91.0	72.1	81.6		0		99+	04	67	26	19	0	0	0	7.09		1.92	07	0.0	0		10	5	3	
8	96.4	71.5	84.0		0		101+	14	67+	25	31	0	0	0	1.20		0.48	23	0.0	0		4	0	0	
9	93.0X	71.2X	82.1X		0		100	05	66	23	23	0	0	0	3.26		0.93	14	0.0	0		5	3	0	
10	79.3X	56.0	67.7X		58		93	05	45+	22	3	0	0	0	3.71		1.78	28	0.0	0		6	3	1	
11	66.2	49.1X	57.7X		232		86	12	37	29	0	0	0	0	4.85		1.75	28	0.0	0		9	4	1	
12	62.0	44.9	53.5		352		75+	29	34+	08	0	0	0	0	1.59		0.32	23	0.0	0		6	0	0	
Annual	83.5*	61.1*	72.3*		809*		104*	Jun	34*	Dec	140*	0*	0*	0*	28.97*		1.92*	Jul	0.0*	0*	Dec	53*	18*	6*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1975)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	71.8	45.4	58.6		258		94	28	21	13	5	0	3	0	0.53		0.27	23	0.0	0		2	0	0	
2	73.9	47.8	60.9		153		92	22	31	07	1	0	3	0	0.23		0.23	04	0.0	0		1	0	0	
3	84.8	56.8	70.8		54		102	13	44	30	13	0	0	0	0.21		0.13	09	0.0	0		1	0	0	
4	89.4	63.3	76.4		11		109	19	45	01	14	0	0	0	0.46		0.13	11	0.0	0		2	0	0	
5	95.6X	71.8X	83.7X		0		105+	21	65	17	26	0	0	0	2.50		1.77	28	0.0	0		5	1	1	
6	96.2	72.5	84.4		0		103+	25	64+	04	25	0	0	0	3.09		1.80	11	0.0	0		3	2	1	
7	93.4X	71.4	82.4X		0		104	12	64+	16	25	0	0	0	4.86		1.12	27	0.0	0		6	5	3	
8	94.8	72.7	83.8		0		111	01	66	07	27	0	0	0	3.13		1.30	10	0.0	0		4	2	2	
9	88.1	67.5	77.8		0		94+	21	54	24	15	0	0	0	6.63		1.80	02	0.0	0		10	5	3	
10	86.3	61.2	73.8		1		92+	25	51	19	9	0	0	0	0.66		0.52	26	0.0	0		2	1	0	
11	79.7	52.0	65.9		124		92+	10	31	27	3	0	1	0	0.00		0.00		0.0	0		0	0	0	
12	71.4X	46.6X	59.0X		226		88	05	31	26	0	0	1	0	0.49		0.23	20	0.0	0		2	0	0	
Annual	85.4*	60.8*	73.1*		827*		111*	Aug	21*	Jan	163*	0*	8*	0*	22.79*		1.80*	Sep	0.0*	0*	Dec	38*	16*	10*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1974)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	67.4	46.3	56.9		290		89+	23	30	06	0	0	3	0	0.84		0.49	26	0.0	0		2	0	0	
2	76.7X	45.4	61.1X		153		92+	21	30	11	2	0	1	0	0.38				0.0	0			0	0	
3	84.3	59.7	72.0		43		98	31	43+	26	16	0	0	0	1.87		1.11	13	0.0	0		3	1	1	
4	87.9	62.5	75.2		5		101	03	47	07	16	0	0	0	0.71		0.25+	19	0.0	0		3	0	0	
5	94.4	70.8	82.6		0		102	12	64+	07	26	0	0	0	2.52		1.90	06	0.0	0		3	1	1	
6	97.9	70.4	84.2		0		110	09	62+	27	29	0	0	0	0.28		0.15	11	0.0	0		2	0	0	
7	99.1	71.6	85.4		0		105+	30	67	15	31	0	0	0	1.54		0.59	05	0.0	0		4	2	0	
8	100.5	74.3	87.4		0		104+	14	70	07	30	0	0	0	1.63		0.86	07	0.0	0		4	1	0	
9	90.5	67.1	78.8		0		104	03	52	30	18	0	0	0	1.77		0.71	24	0.0	0		4	1	0	
10	84.9	61.6	73.3		6		92	14	49+	18	7	0	0	0	2.06		1.30	25	0.0	0		3	1	1	
11	75.1	52.4	63.8		129		90	03	31	30	1	0	1	0	0.57		0.38	08	0.0	0		2	0	0	
12	65.6	45.1	55.4		307		87	23	32	18	0	0	1	0	0.43		0.10	05	0.0	0		1	0	0	
Annual	85.4*	60.6*	73.0*		933*		110*	Jun	30*	Feb	176*	0*	6*	0*	14.60*		1.90*	May	0.0*	0*	Dec	31*	7*	3*	

Notes

- (blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.

Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1973)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	63.2	39.8	51.5		412		87	21	25	12	0	0	7	0	1.11		0.19	25	0.0T	0		5	0	0	
2	66.5	44.9	55.7		267		85	06	27	10	0	0	3	0	4.14		0.70+	21	0.0	0		7	5	0	
3	82.5	58.7	70.6		8		94	14	45	17	3	0	0	0	0.00		0.00		0.0	0		0	0	0	
4	83.2	60.4	71.8		40		100+	21	41+	10	9	0	0	0	0.50		0.31	07	0.0	0		2	0	0	
5	91.9	65.9	78.9		5		106	27	55+	17	22	0	0	0	1.79		1.12	13	0.0	0		2	2	1	
6	88.2	71.2	79.7		0		98+	19	64	09	16	0	0	0	7.36		3.60	25	0.0	0		9	4	2	
7	95.4	73.0	84.2		0		102+	31	70+	25	28	0	0	0	0.56		0.28	04	0.0	0		2	0	0	
8	94.1X	72.0	83.1X		0		102	01	68+	25		0	0	0	5.80		1.65	28	0.0	0		8	4	3	
9	91.0	72.1	81.6		0		101	09	65+	30	21	0	0	0	12.17		5.20	14	0.0	0		9	6	3	
10	84.8	65.9	75.4		0		95+	11	54	20	11	0	0	0	3.13		1.33	28	0.0	0		4	3	1	
11	81.8	59.1	70.5		29		92	25	35	30	4	0	0	0	0.29		0.11	11	0.0	0		1	0	0	
12	73.8	44.0	58.9		212		89	31	19	21	0	0	4	0	0.17		0.17	07	0.0	0		1	0	0	
Annual	83.0*	60.6*	71.8*		973*		106*	May	19*	Dec	114*	0*	14*	0*	37.02*		5.20*	Sep	0.0*	0*	Dec	50*	24*	10*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1972)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	72.3	49.6	61.0		170		91	23	31	07	1	0	2	0	0.14		0.06	08	0.0	0		0	0	0	
2	71.5	49.2	60.4		179		89	26	28	04	0	0	2	0	0.91		0.42	08	0.0	0		3	0	0	
3	84.1	59.1	71.6		19		97	28	43	03	9	0	0	0	0.45		0.30	13	0.0	0		1	0	0	
4	93.0	66.2	79.6		4		105	15	49+	02	23	0	0	0	2.25		2.00	28	0.0	0		2	1	1	
5	87.2	68.2	77.7		0		93	28	65+	20	13	0	0	0	3.80		1.97	15	0.0	0		4	2	2	
6	91.8	71.8	81.8		0		100+	30	67+	08	20	0	0	0	6.12		2.50	09	0.0	0		5	4	2	
7	94.7	72.3	83.5		0		100	13	70+	25	28	0	0	0	1.55		0.47	24	0.0	0		5	0	0	
8	99.3X	72.3X	85.8X		0		103+	24	68	07	31	0	0	0	0.32		0.22	19	0.0	0		2	0	0	
9	97.8	72.0	84.9		0		103+	18	59	30	28	0	0	0	5.61		3.42	24	0.0	0		4	2	2	
10	87.0	64.4	75.7		13		95+	31	52+	28	18	0	0	0	0.33		0.23	26	0.0	0		1	0	0	
11	70.2X	50.8X	60.5X		190		95+	13	39	26	2	0	0	0	1.63		0.84	23	0.0	0		2	2	0	
12	67.3	44.9	56.1		286		92	06	33	16	1	0	0	0	0.22		0.12	11	0.0	0		1	0	0	
Annual	84.7*	61.7*	73.2*		861*		105*	Apr	28*	Feb	174*	0*	4*	0*	23.33*		3.42*	Sep	0.0*	0*	Dec	30*	11*	7*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1971)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	76.3	48.9	62.6		174		96	04	33+	08	2	0	0	0	0.00		0.00		0.0	0		0	0	0	
2	77.9	49.3	63.6		123		92	01	32	09	3	0	1	0	0.00		0.00		0.0	0		0	0	0	
3	86.4	55.2	70.8		57		100	15	33+	05	10	0	0	0	0.00		0.00		0.0	0		0	0	0	
4	88.6	61.2	74.9		16		101	29	45	07	17	0	0	0	0.38		0.38	05	0.0	0		1	0	0	
5	95.6	70.2	82.9		0		107	06	59	14	27	0	0	0	0.05		0.05	26	0.0	0		0	0	0	
6	97.6	74.6	86.1		0		103+	15	69+	27	28	0	0	0	2.16		1.20	27	0.0	0		3	1	1	
7	98.8	73.5	86.2		0		104+	26	69	13	31	0	0	0	1.82		0.94	31	0.0	0		3	2	0	
8	94.7	72.7	83.7		0		100+	27	69+	07	26	0	0	0	4.27		1.45	07	0.0	0		8	3	1	
9	89.2	71.3	80.3		4		103	05	59+	21	15	0	0	0	11.77		6.95	13	0.0	0		6	6	3	
10	82.7	66.8	74.8		0		91	02	55	11	4	0	0	0	3.86		1.84	20	0.0	0		5	3	1	
11	77.8	55.5	66.7		46		89	18	46+	29	0	0	0	0	0.03		0.03	28	0.0	0		0	0	0	
12	73.4	52.2	62.8		119		89	15	39	03	0	0	0	0	0.37		0.17	02	0.0	0		2	0	0	
Annual	86.6*	62.6*	74.6*		539*		107*	May	32*	Feb	163*	0*	1*	0*	24.71*		6.95*	Sep	0.0*	0*	Dec	28*	15*	6*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1970)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	60.1	42.4	51.3		427		81	29	25	07	0	0	2	0	1.98		0.80	05	0.0	0		4	2	0	
2	71.2	48.0	59.6		162		85	19	33	04	0	0	0	0	1.47		0.76	23	0.0	0		4	1	0	
3	75.9	51.0	63.5		103		94	26	39+	14	1	0	0	0	0.04		0.04	05	0.0	0		0	0	0	
4	90.7	64.0	77.4		6		103	19	49	06	16	0	0	0	0.49		0.47	11	0.0	0		1	0	0	
5	88.1	65.3	76.7		4		97	11	53	04	16	0	0	0	2.51		0.87	24	0.0	0		6	2	0	
6	96.1X	72.0X	84.1X		0		108	13	60	03	28	0	0	0	3.09		1.49	25	0.0	0		5	2	1	
7	97.5	73.3	85.4		0		103+	12	70+	19	30	0	0	0	1.29		0.70	26	0.0	0		3	1	0	
8	100.6	74.0	87.3		0		105+	24	69+	31	31	0	0	0	0.69		0.32	06	0.0	0		2	0	0	
9	91.6	71.5	81.6		8		103	04	55+	29	21	0	0	0	5.87		2.67	27	0.0	0		9	3	1	
10	82.1	60.2	71.2		39		93	25	44+	30	8	0	0	0	1.16		1.12	05	0.0	0		1	1	1	
11	77.5	47.9	62.7		132		87+	30	31	17	0	0	3	0	0.00		0.00		0.0	0		0	0	0	
12	77.0	54.6	65.8		98		88	23	40+	27	0	0	0	0	0.17		0.17	15	0.0	0		1	0	0	
Annual	84.0*	60.4*	72.2*		979*		108*	Jun	25*	Jan	151*	0*	5*	0*	18.76*		2.67*	Sep	0.0*	0*	Dec	36*	12*	3*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1969)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	71.3	47.4	59.4		228		92	23	27	05	1	0	2	0	0.24		0.14	02	0.0	0		1	0	0	
2	71.1	51.3	61.2		137		88	08	43+	19	0	0	0	0	1.05		0.56	20	0.0	0		2	1	0	
3	74.4	49.2	61.8		160		94+	30	37	05	2	0	0	0	0.12		0.08	11	0.0	0		0	0	0	
4	89.5	63.8	76.7		0		96+	27	51	18	18	0	0	0	0.59		0.36	06	0.0	0		2	0	0	
5	91.6	67.7	79.7		0		102	06	62+	13	23	0	0	0	2.84		1.19	13	0.0	0		5	2	1	
6	97.4	73.2	85.3		0		108+	25	65+	06	27	0	0	0	3.49		2.97	03	0.0	0		2	1	1	
7	102.8	76.3	89.6		0		108	28	70	29	31	0	0	0	1.64		0.92	29	0.0	0		2	2	0	
8	99.4	74.9	87.2		0		105+	17	71+	31	30	0	0	0	2.86		1.20	31	0.0	0		5	2	1	
9	94.1	71.4	82.8		0		100+	18	64	30	28	0	0	0	1.01		0.73	24	0.0	0		2	1	0	
10	87.6	64.8	76.2		17		101	13	50+	31	17	0	0	0	1.21		0.55	28	0.0	0		4	1	0	
11	75.3	52.3	63.8		145		99	13	33	21	4	0	0	0	2.76		1.00	26	0.0	0		6	2	1	
12	71.3	49.0	60.2		160		80+	28	39+	31	0	0	0	0	0.63		0.36	30	0.0	0		3	0	0	
Annual	85.5*	61.8*	73.7*		847*		108*	Jul	27*	Jan	181*	0*	2*	0*	18.44*		2.97*	Jun	0.0*	0*	Dec	34*	12*	4*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1968)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	63.6	45.3	54.5		346		84	30	31	14	0	0	4	0	0.98		0.36	09	0.0	0		3	0	0	
2	66.7	43.5	55.1		285		81	01	30	24	0	0	2	0	1.59		0.76	11	0.0	0		3	2	0	
3	73.6	50.1	61.9		174		87	19	33	13	0	0	0	0	0.45		0.19	05	0.0	0		2	0	0	
4	83.6	62.9	73.3		6		99	18	47	05	6	0	0	0	1.87		1.13	21	0.0	0		4	1	1	
5	90.7	69.5	80.1		0		98	27	60	01	20	0	0	0	0.54		0.36	20	0.0	0		2	0	0	
6	94.9	71.6	83.3		0		102	15	66+	18	26	0	0	0	2.60		0.78	26	0.0	0		5	3	0	
7	95.7	72.9	84.3		0		100+	31	69	12	31	0	0	0	1.94		0.85	10	0.0	0		4	1	0	
8	99.2	73.2	86.2		0		105	14	68	05	31	0	0	0	1.88		0.97	05	0.0	0		3	1	0	
9	89.7	69.8	79.8		0		101	17	62+	28	17	0	0	0	6.09		2.28	02	0.0	0		6	4	2	
10	86.6	65.1	75.9		0		95	09	51	26	11	0	0	0	1.69		0.82	10	0.0	0		3	2	0	
11	76.5	51.6	64.1		125		89+	27	35	28	0	0	0	0	0.34		0.20	09	0.0	0		1	0	0	
12	71.5	46.0	58.8		214		89	28	31	04	0	0	3	0	0.41		0.38	01	0.0	0		1	0	0	
Annual	82.7*	60.1*	71.4*		1150*		105*	Aug	30*	Feb	142*	0*	9*	0*	20.38*		2.28*	Sep	0.0*	0*	Dec	37*	14*	3*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1967)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	67.2	44.3	55.8		309		84	24	27	05	0	0	2	0	1.00		0.60	10	4.0	0		2	1	0	
2	72.0	46.5	59.3		173		86	01	31	07	0	0	3	0	0.39		0.30	06	0.0	0		1	0	0	
3	84.7X	60.0	72.4X		43		98	06	40	07	14	0	0	0	0.54		0.50	24	0.0	0		1	1	0	
4	94.8	69.7	82.3		0		102	17	62	04	27	0	0	0	1.70		1.20	27	0.0	0		2	2	1	
5	94.5	69.3	81.9		0		107	13	58	16	23	0	0	0	0.48		0.30	02	0.0	0		2	0	0	
6	99.2	73.4	86.3		0		104+	27	66+	07	30	0	0	0	0.48		0.48	02	0.0	0		1	0	0	
7	101.9	75.2	88.6		0		105+	29	68	15	31	0	0	0	0.20		0.20	15	0.0	0		1	0	0	
8	95.6	72.4	84.0		0		105+	10	66	18	22	0	0	0	8.87		1.82	19	0.0	0		9	7	4	
9												0	0	0					0.0	0					
10	82.0	60.0	71.0		12		88+	15	44	31	0	0	0	0	0.94		0.43	04	0.0	0		2	0	0	
11	73.7	56.3	65.0		84		90	26	40	04	1	0	0	0	3.35		1.44	07	0.0	0		4	3	1	
12	65.8	46.2	56.0		287		81	14	31	24	0	0	1	0	0.75		0.39	08	0.0	0		3	0	0	
Annual	84.7*	61.2*	73.0*		908*		107*	May	27*	Jan	148*	0*	6*	0*	18.70*		1.82*	Aug	4.0*	0*	Dec	28*	14*	6*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1966)

Station: **COOP:413060, FALCON DAM, TX US**

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	59.7	41.9	50.8		445		81	01	27+	31	0	0	6	0	2.06		0.44	25	0.0	0		6	0	0	
2	65.2	44.6	54.9		288		83	10	33	23	0	0	0	0	1.70		1.16	22	0.0	0		3	1	1	
3	76.5	54.8	65.7		82		94	04	37+	07	4	0	0	0	0.31		0.14	28	0.0	0		1	0	0	
4	86.5	63.6	75.1		3		95+	28	51	05	15	0	0	0	1.70		0.96	15	0.0	0		3	1	0	
5	85.8	67.3	76.6		4		97	24	57	08	13	0	0	0	7.97		1.60	03	0.0	0		9	7	3	
6	91.5X	71.4X	81.5X		0		99	14	62	02	21	0	0	0	4.69		0.78	24	0.0	0		9	6	0	
7	97.1	73.7	85.4		0		103	31	69	01	31	0	0	0	0.61		0.52	29	0.0	0		1	1	0	
8	99.5	74.3	86.9		0		104+	18	69	26	30	0	0	0	7.66		7.10	27	0.0	0		4	1	1	
9	97.2X	71.0X	84.1X		0		106+	16	64+	26	28	0	0	0	0.50		0.33	09	0.0	0		1	0	0	
10	85.4	60.8	73.1		9		101	01	47+	26	8	0	0	0	0.51		0.39	15	0.0	0		1	0	0	
11	81.3	54.5	67.9		63		92	10	34+	30	1	0	0	0	0.00		0.00		0.0	0		0	0	0	
12	70.9	45.3	58.1		259		88	08	26+	14	0	0	3	0	0.00		0.00		0.0	0		0	0	0	
Annual	83.0*	60.3*	71.7*		1153*		106*	Sep	26*	Dec	151*	0*	9*	0*	27.71*		7.10*	Aug	0.0*	0*	Dec	38*	17*	5*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1965)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	73.8	48.4	61.1		168		90	26	33+	18	1	0	0	0	0.19		0.14	22	0.0	0		1	0	0	
2	68.3	46.5	57.4		213		89	24	33	26	0	0	0	0	0.79		0.31	06	0.0	0		3	0	0	
3	75.5	51.6	63.6		172		96	25	33	20	7	0	0	0	1.83		1.75	31	0.0	0		1	1	1	
4	88.3	65.4	76.9		6		98+	15	56	01	17	0	0	0	0.51		0.22	20	0.0	0		3	0	0	
5	93.1	70.7	81.9		0		100	09	58	01	25	0	0	0	2.65		2.03	17	0.0	0		3	1	1	
6	99.1	74.5	86.8		0		105+	16	72+	14	30	0	0	0	0.13		0.13	06	0.0	0		1	0	0	
7	101.9	74.3	88.1		0		109	20	70	16	31	0	0	0	0.05		0.05	02	0.0	0		0	0	0	
8	97.6	73.7	85.7		0		102+	23	68	12	31	0	0	0	1.01		0.67	04	0.0	0		2	1	0	
9	95.4	72.4	83.9		0		102+	17	61	28	24	0	0	0	1.45		0.55	26	0.0	0		4	1	0	
10	82.5	60.2	71.4		13		93+	17	44	25	7	0	0	0	1.13		0.30	04	0.0	0		4	0	0	
11	82.0X	61.6X	71.8X		8		95	27	47	30	3	0	0	0	0.66		0.25	03	0.0	0		3	0	0	
12	70.4	53.4	61.9		137		81	24	38	20	0	0	0	0	2.99		1.40	03	0.0	0		5	2	1	
Annual	85.7*	62.7*	74.2*		717*		109*	Jul	33*	Mar	176*	0*	0*	0*	13.39*		2.03*	May	0.0*	0*	Dec	30*	6*	3*	

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1964)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days				
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0		
1	67.7	43.4	55.6		300		84	20	28	13	0	0	5	0	1.07		1.00	30	0.0	0		1	1	1		
2	67.7	44.0	55.9		262		83	13	32	08	0	0	1	0	1.04		0.67	21	0.0	0		3	1	0		
3	80.6	54.8	67.7		37		97+	09	41	01	5	0	0	0	0.19		0.19	29	0.0	0		1	0	0		
4	91.0	66.2	78.6		4		102	28	49	09	21	0	0	0	0.56		0.21	14	0.0	0		3	0	0		
5	92.6	71.8	82.2		0		101+	09	62	13	23	0	0	0	6.71		2.52	12	0.0	0		7	3	2		
6	94.6	72.6	83.6		0		102	20	64	01	25	0	0	0	1.52		1.29	01	0.0	0		2	1	1		
7	100.3	74.3	87.3		0		104+	29	70	05	31	0	0	0	0.96		0.58	05	0.0	0		3	1	0		
8	103.0	76.3	89.7		0		106+	28	74+	11	31	0	0	0	0.07		0.07	24	0.0	0		0	0	0		
9	95.5	72.8	84.2		0		102	01	63+	29	27	0	0	0	7.28		3.68	28	0.0	0		7	5	1		
10	82.9	58.9	70.9		16		93	18	48	21	2	0	0	0	1.56		1.46	19	0.0	0		2	1	1		
11	79.6	58.2	68.9		70		91	15	41	23	1	0	0	0	0.92		0.47	22	0.0	0		2	0	0		
12	68.4	45.9	57.2		277		89	31	33+	18	0	0	0	0	0.74		0.31	09	0.0	0		3	0	0		
Annual	85.3*	61.6*	73.5*		966*		106*	Aug	28*	Jan	166*	0*	6*	0*	22.62*		3.68*	Sep	0.0*	0*	Dec	34*	13*	6*		

Notes

(blank) Data element not reported or missing.

+ Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.

A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).

B Adjusted total. Monthly value totals based on proportional available data across the entire month.

E An estimated monthly or annual total.

X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.

T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.

Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State

S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.

* Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1963)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	62.1	39.3	50.7		445		90	11	22	24	1	0	8	0	0.14		0.07	29	0.0	0		0	0	0	
2	72.4	43.8	58.1		224		95	02	32+	13	5	0	2	0	0.45		0.31	18	0.0	0		1	0	0	
3	83.8	58.6	71.2		36		98+	19	40	06	11	0	0	0	0.04		0.04	21	0.0	0		0	0	0	
4	95.4	68.6	82.0		2		113	10	55	05	26	0	0	0	0.12		0.12	05	0.0	0		1	0	0	
5	91.7	69.6	80.7		0		103	28	65+	08	23	0	0	0	3.49		1.50	06	0.0	0		6	2	1	
6	96.8	74.7	85.8		0		103	17	71	21	29	0	0	0	4.43		2.31	18	0.0	0		2	2	2	
7	98.7	73.8	86.3		0		104+	30	70+	10	29	0	0	0	0.72		0.40	02	0.0	0		2	0	0	
8	101.1	74.9	88.0		0		104	20	72+	19	31	0	0	0	0.85		0.72	12	0.0	0		2	1	0	
9	95.2	70.1	82.7		0		101+	13	60	30	29	0	0	0	2.69		2.44	04	0.0	0		1	1	1	
10	87.0	63.9	75.5		0		91+	20	60+	02	9	0	0	0	6.25		2.65	26	0.0	0		7	3	2	
11	78.9	56.4	67.7		60		92	07	37	30	1	0	0	0	1.57		0.55	09	0.0	0		3	2	0	
12	60.6	41.9	51.3		427		83	08	29	25	0	0	2	0	1.74		0.69	16	0.0	0		5	1	0	
Annual	85.3*	61.3*	73.3*		1194*		113*	Apr	22*	Jan	194*	0*	12*	0*	22.49*		2.65*	Oct	0.0*	0*	Dec	30*	12*	6*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

ANNUAL CLIMATOLOGICAL SUMMARY
(1962)

Station: COOP:413060, FALCON DAM, TX US

Elev. 322 ft. above sea level

Lat. 26.558°, Lon. -99.137°

Date	Temperature (°F)														Precipitation (inches)										
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT		EMNT		DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP		TSNW	MXSD		DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Number Of Days				Total	Depart. from Normal	Greatest Observed		Snow, Sleet			Number Of Days			
											Max >=90°	Max <=32°	Min <=32°	Min <=0°			Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1																									
2																									
3																									
4																									
5																									
6																									
7	102.8	75.3	89.1		0		107	29	73+	11	31	0	0	0	0.00		0.00		0.0	0		0	0	0	
8	101.5	74.9X	88.2X		0		107+	11	71	16	30	0	0	0	0.87		0.36	22	0.0	0		3	0	0	
9	96.3	72.9	84.6		0		102+	02	63	28	26	0	0	0	3.88		2.22	27	0.0	0		5	2	1	
10	90.9	68.5	79.7		0		97+	16	55+	31	19	0	0	0	2.62		2.18	02	0.0	0		2	1	1	
11	78.6	53.6	66.1		59		89+	18	41	09	0	0	0	0	0.26		0.09	06	0.0	0		0	0	0	
12	66.7	47.7	57.2		258		84+	21	38	13	0	0	0	0	1.16		0.58	24	0.0	0		4	1	0	
Annual	89.5*	65.5*	77.5*		317*		107*	Aug	38*	Dec	106*	0*	0*	0*	8.79*		2.22*	Sep	0.0*	0*	Dec	14*	4*	2*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will = zero.
- Elem -> Element types are included to provide cross-reference for users of the NCDC CDO system.
Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.